

**Arroyo Seco Master Plan**  
**Staff's Preliminary Recommended Project Alternative\***

Last revised 1/09/03

NOTE: At their 1/7/03 meeting, the Recreation and Parks Commission requested edits to this document which have yet to be made. This is a work in progress and is presented as a preliminary working draft.

PROJECT	ADD	CLARIFY	MODIFY	ELIMINATE	COMMENTS
<b>Draft Hahamongna Watershed Park Master Plan</b>					
<i>Westside Park Access</i>					
Construct New Access Lane to Alleviate Traffic Congestion at Park Entrance		●			
<i>Eastside Park Access</i>					
Construct New Park Entrance in Cooperation with L.A. County		●			Requires coordination with NASA/JPL
Realign Park Access Road to East of Arroyo Well		●			Requires coordination with NASA/JPL
Widen Johnson Field Road for Safe Access		●			
<i>Water Conservation</i>					
Create Seasonal Flood Management Water Conservation Pool for Needed Capacity		●			
Install Pump-Back System to Maximize Ground Water Recharge		●			Requires coordination with NASA/JPL
Improve Storm Drains for Water Quality and Erosion Control		●			
Develop Westside Spreading Basins		●			Requires coordination with NASA/JPL
Modify Eastside Spreading Basins		●			Requires coordination with NASA/JPL
Altacrest Drain Improvements		●			Requires coordination with NASA/JPL
<i>Flood Management</i>					
Improve Sediment and Debris Management		●			
<i>Oak Grove Area</i>					
Improve existing RR building in upper Oak Grove				●	Already approved and underway through the CIP
Improve Foothill Drain		●			
Construct Sycamore Grove Field for Multiple Uses		●			Clarify BMP's for irrigation/fertilizer impacts
Build Sycamore Grove Field Restroom				●	
Relocate Disc Golf Course		●			
Expand Oak Grove Field Parking to Accommodate Abandoned Overflow Parking		●			
Establish Native Plant Nursery		●	●		
<i>Supervised Overnight Camping Area</i>					

\* Only projects that staff is recommending be added, modified, clarified or eliminated are included on this list. Those projects with few or no changes are not on this list.

**Arroyo Seco Master Plan**  
**Staff's Preliminary Recommended Project Alternative\***

Last revised 1/09/03

PROJECT	ADD	CLARIFY	MODIFY	ELIMINATE	COMMENTS
Improve Existing Parking and Unloading Areas		●			
Improve Existing RR Building				●	Already approved and underway through the CIP
<i>West Lake</i>					
Establish a 4.8-acre lined Lake		●			
<i>Equestrian Staging Area</i>					
Upgrade Restroom		●			
Realign and Widen Access Road		●			Total amount of paving will be reduced
Improve Berkshire Drain		●			
<i>West Arroyo Parking</i>					
Construct 1,200-space Parking Structure, Phase out JPL East Lot				●	
Construct Equestrian Refuse Disposal Area at end of West Arroyo Inner Park Road				●	
Extend Westside Arroyo Inner Park Access Road in Cooperation with MWD				●	
<i>Eastside Park Area</i>					
Renovate Johnson Field for Multiple Uses		●			Provide BMP's for irrigation/fertilizer impacts
Convert Basin 13 to Multi-Use Field		●			Provide BMP's for irrigation/fertilizer impacts
Provide Picnic Tables and Other Amenities				●	
Improve Parking for 200 Vehicles and Two Buses		●			
Develop an Interpretive Area with Parking		●			Requires coordination with NASA/JPL
<i>East Lake</i>					
Establish a 3.6-acre lined Lake		●			Requires coordination with NASA/JPL
<i>Gabrielino Trail Area</i>					
Convert JPL Parking to Public Parking with New Trailhead		●			Requires coordination with NASA/JPL
Build New Public Restroom		●			Requires coordination with NASA/JPL
<i>Trail Development</i>					
Develop Perimeter Trail		●	●		Eliminate stretch thru MWD property
Build Flint Wash Bridge		●			
Build Northerly Bridge Crossing Arroyo Seco Stream		●	●		Provide bicycle crossing
<i>Bicycle Route</i>					

\* Only projects that staff is recommending be added, modified, clarified or eliminated are included on this list. Those projects with few or no changes are not on this list.

**Arroyo Seco Master Plan**  
**Staff's Preliminary Recommended Project Alternative\***  
 Last revised 1/09/03

PROJECT	ADD	CLARIFY	MODIFY	ELIMINATE	COMMENTS
Improve Paved Surfaces for Bicycle Use		●	●		Eliminate stretch thru MWD property
<i>MWD Property</i>	●				Include property into Study Area; include lease into project
<i>Habitat Establishment and Restoration Projects</i>					
Restore and Establish Habitat at Realigned Stream Corridor		●			
Restore Riversidean Alluvial Fan Sage Scrub		●			
Establish Habitat at Spreading Basins		●			Requires coordination with NASA/JPL
Widen Stream Channel and Establish Riparian Habitat		●			
Establish East Entrance Habitat		●			Requires coordination with NASA/JPL
Restore and Establish Habitat at Interpretive Trail area		●			Requires coordination with NASA/JPL
Restore Riparian Willow Habitat along Westside Perimeter Trail		●			
Establish Sycamore and Willow Habitat at New Play Field and Relocated Disc Golf		●			
Establish Riparian and Aquatic Habitat at East and West Lakes		●			East Lake requires coordination with NASA/JPL
Establish Sycamore Woodland throughout West and East Park Areas		●			Areas adjacent to existing and any modified or new spreading basins, requires coordination with NASA/JPL
Establish Perimeter Riparian Habitat at Flood Management Water Conservation Pool		●			
<i>Accessibility and Safety-Perimeter Park Fencing and Gates</i>					
Provide Fencing and Gates to Protect Public and Restored/Preserved Habitat		●			
<b>Draft Central Arroyo Seco Master Plan</b>					
<i>Parking</i>					
Landscape Asphalt Lots B, D, F, G, I, K, L, and M		●			Incorporate recommendations from Arroyo Coordinating Committee regarding Lot I
<i>Group Picnic / Active Recreation Area</i>					

\* Only projects that staff is recommending be added, modified, clarified or eliminated are included on this list. Those projects with few or no changes are not on this list.

**Arroyo Seco Master Plan**  
**Staff's Preliminary Recommended Project Alternative\***  
 Last revised 1/09/03

PROJECT	ADD	CLARIFY	MODIFY	ELIMINATE	COMMENTS
Replace and Construct New Children's Play Areas	●	●	●		The project description is modified to recommend specific locations for the play areas. These specific locations are: 1) a small play area in Section G; 2) a medium play area at the entrance to Brookside Park; and 3) a larger play area east of the Aquatic Center in the old abandoned play area.
Improve Restrooms and Picnic Amenities		●			
Restore Brookside Maintenance Office and Yard	●				
<i>Multi-use Recreation Trails</i>					
Restore Eastside Trail above Rosemont Avenue		●	●		
Provide Safer Eastside Trail Equestrian Crossing		●	●		
<b>Draft Lower Arroyo Seco Master Plan</b>					
<i>Improve the Grounds of La Casita Del Arroyo</i>					
Provide Interpretative Information and Kiosk		●			
Improve Directional Signage		●			Will be part of design guidelines and signage master plan
<i>Enhance Main Park Entrance</i>					
Improve Main Entry Signage		●			Will be part of design guidelines and signage master plan
Improve Entry Landscape and Lighting		●			
Widen Access Road for Safety		●	●		
Improve Directional Signage		●			Will be part of design guidelines and signage master plan
<i>South Entrance</i>					
Provide new small parking lot with permeable surface				●	
Build restroom and drinking fountain				●	
Provide picnic area				●	
Enhance equestrian amenities		●			
Create interpretive area and information kiosk		●		●	Eliminate kiosk only

\* Only projects that staff is recommending be added, modified, clarified or eliminated are included on this list. Those projects with few or no changes are not on this list.

**Arroyo Seco Master Plan**  
**Staff's Preliminary Recommended Project Alternative\***  
 Last revised 1/09/03

PROJECT	ADD	CLARIFY	MODIFY	ELIMINATE	COMMENTS
Provide new entry and directional signage		•			Will be part of design guidelines and signage master plan
Provide entry landscaping and entry lighting				•	
Install new gate				•	
Restore Native Plant Communities	•				
Enhance regional trail connections	•				
<i>Improve Casting Pond Area</i>					
Provide ADA Accessible Trail		•	•		
Improve the Signage		•			Will be part of design guidelines and signage master plan
<i>Enhance Bird Sanctuary</i>					
Enhance Landscaping		•			
Improve Directional Signage		•			Will be part of design guidelines and signage master plan
Repair Storm Drain		•			
<i>Northern Archery Range</i>					
Improved Signage for Safety		•			
<i>Southern Archery Range</i>					
Improve Signage for Safety		•			
<i>Roving Archer's Clubhouse</i>					
Replace Clubhouse Including Restroom and Storage Area		•	•		
Provide Interpretative Information and Map of Range		•	•		
Landscaping with Native Plants		•			
Provide Picnic Area				•	
Provide Six Parking Areas				•	
Improve Directional Signage		•			Will be part of design guidelines and signage master plan
<i>Bridge Crossing at Archer's Clubhouse</i>					
Provide new Gate with Passage for Non-Motorized Users		•	•		
Improve Directional Signage		•			Will be part of design guidelines and signage master plan

\* Only projects that staff is recommending be added, modified, clarified or eliminated are included on this list. Those projects with few or no changes are not on this list.

**Arroyo Seco Master Plan**  
**Staff's Preliminary Recommended Project Alternative\***

Last revised 1/09/03

PROJECT	ADD	CLARIFY	MODIFY	ELIMINATE	COMMENTS
<i>Improve Westside Multi-Use Trail Access at Parker-Mayberry Bridge</i>		●	●		
Multi-Use Exclusive of Equestrian			●		
Improve Directional Signage		●			Will be part of design guidelines and signage master plan
<i>Westside Multi-Use Trail for Hikers</i>					Remove "bicyclists" from project title
Maintain Trail from Southern City Limits to Parker-Mayberry Trail Bridge		●	●		Eliminate bicycle references
Enhance Trail and Surroundings				●	No path for bicycles
Resurface with All Weather Material				●	No path for bicycles - keep existing use
Provide Informal Rest Areas				●	
Provide Picnic Tables				●	
Improve Trail Signage		●			Will be part of design guidelines and signage master plan
<i>Eastside Multi-Use Trail for Hikers and Equestrians</i>					
Maintain Trail from South City Limits to Parker-Mayberry Bridge		●	●		
Resurface with Decomposed Granite (DG)				●	Merge with project above
Provide Rest Areas				●	
Improve Directional Signage		●			Will be part of design guidelines and signage master plan
<i>Camel's Hump Loop Trail</i>					
Expand Trail System at Camel's Hump		●			
Clear Brush and Create Fuel Modification Zone		●			
Retrofit and Repair Irrigation System		●			
Provide Rest Stop Areas				●	
Improve Directional Signage		●			Will be part of design guidelines and signage master plan
<i>Install New Pedestrian Bridge</i>				●	The Prop A funds for this project can be re-assigned to another Prop A project in the Lower Arroyo
<i>Westside Pedestrian Trail</i>					
Separate Southern Archery Range Trail from Westside Multi-Use Trail		●			
Improve Signage for Safety		●	●		

\* Only projects that staff is recommending be added, modified, clarified or eliminated are included on this list. Those projects with few or no changes are not on this list.

**Arroyo Seco Master Plan  
Staff's Preliminary Recommended Project Alternative\***

Last revised 1/09/03

PROJECT	ADD	CLARIFY	MODIFY	ELIMINATE	COMMENTS
Restore Native Plant Community		●			
<i>Restore Arroyo Boulevard Rim Trail</i>					
Restore Native Plant Communities		●			
Improve Directional Signage		●			Will be part of design guidelines and signage master plan
<i>Restore Neighborhood Trail Access</i>					
Improve Signage		●			Will be part of design guidelines and signage master plan
<i>Memorial Grove Restoration</i>					
Extend Low-Flow Stream System				●	
Maintain Open Natural Area		●			
Provide Rest Areas				●	
Habitat Restoration		●			
<i>Improve Regional Trail Connection</i>					
Stabilize Slope of Trail Under Bridges	●				Safety Issue
<i>Restore Banks of the Lower Arroyo Seco</i>					
Provide for Wildlife Corridor	●				
Stabilize Banks and Control Erosion	●				Safety Issue
Restoration and Conservation of Native Plant Communities	●				
<i>Restoration of Annandale Creek/Laguna Canyon</i>					
Restore Habitat and Native Plant Communities	●				
Restore Creek Course and Environment Where Feasible	●				
Enhance Water Quality Entering Arroyo Seco Channel/Streamcourse	●				
<b>ARROYO SECO Design Guidelines</b>		●	●		The Design Guidelines are currently being reviewed by the Design Commission and the Arts Commission. Their recommendations to the plan are forthcoming.

\* Only projects that staff is recommending be added, modified, clarified or eliminated are included on this list. Those projects with few or no changes are not on this list.